

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. **(Original)** A weighted scrub brush for scrubbing an upwardly facing surface, the weighted scrub brush comprising:

a brush head defining a leading end, a trailing end, a pair of laterally opposing ends, a downwardly facing bristle support surface, and an upwardly opening weight recess;

a plurality of bristles extending downwardly from the bristle support surface for contacting the upwardly facing surface;

a weight removably positioned within the weight recess, the weight defining first and second opposing ends;

a handle pivotally secured to one of the weight and the brush head;

a male support member on the first end of the weight or an interior wall of the weight recess and a female support member on the other of the first end of the weight or the interior wall of the weight recess for receiving the male support member, to secure the first end of the weight within the weight recess; and

a cantilevered support latch having a fixed end secured to the brush head adjacent the second end of the weight, and a free end partially overlapping the second end of the weight to secure the second end within the weight recess.

2. **(Original)** A weighted scrub brush as defined in Claim 1, further comprising:

an engagement member on the support latch spaced from the fixed end for flexing the support latch outwardly to move the free end of the latch away from the second end of the weight and remove the weight from the weight recess.

3. **(Original)** A weighted scrub brush as defined in Claim 1, wherein the engagement member of the support latch comprises an upwardly projecting ridge for engagement by a hand or foot.

4. **(Original)** A weighted scrub brush as defined in Claim 1, wherein the male support member includes one or more support projections laterally extending from the first end of the weight, and the female support member includes one or more support recesses laterally receding into the interior wall of the weight recess.

5. **(Original)** A weighted scrub brush as defined in Claim 4, further comprising:

a liquid intake port for connecting with a liquid supply; and

a conduit extending from the liquid intake port to the brush head to dispense liquid from the conduit to the plurality of bristles.

6. **(Original)** A weighted scrub brush as defined in Claim 1, further comprising:

a roller secured to a central body portion of the brush head forward of the handle, the roller radially extending upwardly and outwardly from the leading end of the brush head, such that the brush head may be pivoted to a forward, inverted position to roll the brush, the brush head extending laterally outwardly of the roller.

7. **(Original)** A weighted scrub brush as defined in Claim 1, wherein the brush head further comprises:

a pair of laterally opposing outer body portions extending laterally outward of a central body portion and defining the laterally opposing ends, the outer body portions being vertically lower than the central body portion to increase vertical clearance above the outer body portions.

8. **(Currently Amended)** A weighted scrub brush for scrubbing an upwardly facing surface, the weighted scrub brush comprising:

a brush head defining a leading end, a trailing end, a pair of laterally opposing ends, a downwardly facing bristle support surface, and an upwardly opening weight recess, the brush head supporting a plurality of bristles each extending downward from the downwardly facing bristle support surface, the plurality of bristles solely supporting the brush head when the brush is in use;

the plurality of bristles extending downwardly from the bristle support surface for contacting the upwardly facing surface;

a weight removably positioned within the weight recess, the weight defining first and second opposing ends;

a handle pivotally secured to one of the weight and the brush head;

a liquid supply supported on the handle;

a liquid intake port for connecting with the liquid supply; and

a liquid distribution manifold having an input port for receiving liquid from the conduit and a plurality of laterally spaced output ports for distributing liquid at different locations toward the upwardly facing surface and spaced between downwardly facing support bristles; and

a conduit extending from the liquid intake port to the brush head to dispense liquid from the conduit to the upwardly facing surface~~plurality of bristles~~.

9. **(Original)** A weighted scrub brush as defined in Claim 8, further comprising:

a liquid valve for controlling flow between the liquid supply and the conduit.

10. **(Original)** A weighted scrub brush as defined in Claim 9, further comprising:

a trigger secured to the handle for operating the liquid valve.

11. **(Cancelled)**

12. **(Currently Amended)** A weighted scrub brush as defined in Claim 448, wherein the liquid distribution manifold is contained within the brush head.

13. **(Original)** A weighted scrub brush as defined in Claim 8, further comprising:

a chemical dispenser, including a dispenser port in fluid communication with the conduit and a chemical supply vessel removably securable to the dispenser port.

14. **(Original)** A weighted scrub brush as defined in Claim 13, wherein the dispenser port is a venturi port for dispensing chemicals in response to liquid flow through the conduit.

15. **(Original)** A weighted scrub brush as defined in Claim 13, further comprising:

a chemical valve for controlling flow between the chemical dispenser and the conduit.

16. **(Original)** A weighted scrub brush as defined in Claim 8, further comprising:

a male support member on one of the weight and the brush head and a female support member on the other of the weight and the brush head for

receiving the male support member, to secure the first end of the weight within the weight recess; and

a cantilevered support latch having a fixed end secured to the brush head adjacent the second end of the weight, and a free end partially overlapping the second end of the weight to secure the second end within the weight recess.

17. **(Currently Amended)** A weighted scrub brush for scrubbing an upwardly facing surface, the weighted scrub brush comprising:

a brush head defining a leading end, a trailing end, a downwardly facing bristle support surface, an upwardly opening weight recess, a central body portion, and a pair of laterally opposing outer body portions extending laterally outward of the central body portion and defining a pair of laterally opposing ends, the brush head supporting a plurality of bristles each extending downward from the downwardly facing bristle support surface, the plurality of bristles supporting the brush head when the brush is in use;

the plurality of bristles extending downwardly from the bristle support surface for contacting the upwardly facing surface, the plurality of bristles solely supporting the brush head when scrubbing the upwardly facing surface;

a weight removably positioned within the weight recess, the weight defining first and second opposing ends; and

a handle pivotally secured to one of the weight and the brush head, the scrub brush having a lateral centerline spaced substantially equally between the laterally opposing ends; and

a roller rotatably secured to a central body portion of the brush head forward of the handle and extending laterally past the lateral centerline, the roller radially extending upwardly and outwardly from the leading end of the brush head, the roller rotatable mounted to the brush head and having a central axis spaced above the plurality of bristles, such that the brush head may be pivoted to a forward, inverted position to roll the scrub brush on the roller while the bristles are disengaged from a floor surface, the outer body portions extending laterally outwardly of the roller and being vertically lower than the central body portion to increase vertical clearance above the outer body portions.

18. **(Original)** A weighted scrub brush as defined in Claim 17, wherein the laterally opposing outer body portions taper downwardly toward the laterally opposing ends.

19. **(Original)** A weighted scrub brush as defined in Claim 18, wherein the weight recess extends at least partially into the outer body portions of the brush head, the weight tapering downwardly toward the laterally opposing ends of the brush head such that an upper surface of the weight is recessed fully within the weight recess.

20. **(Original)** A weighted scrub brush as defined in Claim 17, further comprising:

a male support member on the first end of the weight or an interior wall of the weight recess and a female support member on the other of the first end of the weight or the interior wall of the weight recess for receiving the male support member, to secure the first end of the weight within the weight recess; and

a cantilevered support latch having a fixed end secured to the brush head adjacent the second end of the weight, and a free end partially overlapping the second end of the weight to secure the second end within the weight recess.